



Hajee Mohammad Danesh Science & Technology University, Dinajpur

Examination results of BSc in Food and Process Engineering , session 2021

Course Info:

1. **FSN 301:** Food Analysis and Nutrient Technology
(Theoretical,C.H.3.00)
4. **FSN 304:** Management and Utilization of Wastes
(Sessional,C.H.1.00)
7. **FET 307:** Food and Process Engineering-I
(Theoretical,C.H.2.00)
10. **AIE 304:** Mechanical Design of Process Equipment
(Sessional,C.H.1.00)

2. **FSN 303:** Management and Utilization of Wastes
(Theoretical,C.H.2.00)
5. **FET 305:** Food and Packaging Machinery
(Theoretical,C.H.3.00)
8. **FET 308:** Food and Process Engineering-II
(Sessional,C.H.1.00)
11. **AEX 303:** Extension Communication and Management
(Theoretical,C.H.2.00)

3. **FSN 302:** Food Analysis and Nutrient Technology
(Sessional,C.H.1.00)
6. **FET 306:** Food and Packaging Machinery
(Sessional,C.H.1.00)
9. **AIE 303:** Mechanical Design of Process Equipment
(Theoretical,C.H.2.00)
12. **AEX 304:** Extension Communication and Management
(Sessional,C.H.1.00)

Grading System		
Letter Grade (LG)	Grade Point (GP)	Numerical Equivalent
A+	4.00	80 and above
A	3.75	75 to below 80
A-	3.50	70 to below 75
B+	3.25	65 to below 70
B	3.00	60 to below 65
B-	2.75	55 to below 60
C+	2.50	50 to below 55
C	2.25	45 to below 50
D	2.00	40 to below 45
F	0.00	Less Than 40

L3/SD-

SL.	ID	FSN 301		FSN 303		FSN 302		FSN 304		FET 305		FET 306		FET 307		FET 308		AIE 303		AIE 304		AEX 303		AEX 304		GPA
		LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	
1	1907026	F	0.00	C	2.25	D	2.00	F	0.00	F	0.00	F	0.00	F	0.00	D	2.00	F	0.00	D	2.00	C+	2.50	D	2.00	2.188
2	2007033	A-	3.50	B-	2.75	B	3.00	B+	3.25	B	3.00	B	3.00	B	3.00	B+	3.25	C+	2.50	C+	2.50	A-	3.50	B+	3.25	3.063
3	2007053	B+	3.25	B	3.00	A	3.75	A-	3.50	B+	3.25	B+	3.25	C+	2.50	B+	3.25	A	3.75	B-	2.75	A	3.75	A+	4.00	3.300
4	2007063	F	0.00	B-	2.75	C+	2.50	B-	2.75	B	3.00	C	2.25	B-	2.75	C	2.25	D	2.00	C	2.25	B+	3.25	C	2.25	2.632
5	2107001	A+	4.00	A	3.75	A+	4.00	A+	4.00	A+	4.00	A	3.75	A+	4.00	A+	4.00	A+	4.00	A+	4.00	A+	4.00	A+	4.00	3.963
6	2107002	A+	4.00	A-	3.50	A	3.75	A	3.75	A-	3.50	B+	3.25	B	3.00	A-	3.50	B+	3.25	C	2.25	A+	4.00	A	3.75	3.513
7	2107003	A+	4.00	A+	4.00	A+	4.00	A+	4.00	A+	4.00	A+	4.00	A+	4.00	A+	4.00	A-	3.50	A+	4.00	A+	4.00	A+	4.00	3.950
8	2107004	A+	4.00	A-	3.50	A-	3.50	A-	3.50	A-	3.50	A+	4.00	B-	2.75	A	3.75	B+	3.25	D	2.00	A	3.75	A	3.75	3.475
9	2107005	A	3.75	A-	3.50	A+	4.00	A	3.75	B+	3.25	B	3.00	B-	2.75	B+	3.25	D	2.00	B-	2.75	A+	4.00	A	3.75	3.300
10	2107006	B+	3.25	A-	3.50	B	3.00	B+	3.25	B+	3.25	B-	2.75	B-	2.75	B	3.00	B	3.00	D	2.00	A-	3.50	B+	3.25	3.113
11	2107008	A	3.75	A-	3.50	A	3.75	A+	4.00	A	3.75	A+	4.00	A	3.75	A-	3.50	A-	3.50	A-	3.50	A+	4.00	A+	4.00	3.738
12	2107009	B	3.00	B	3.00	A	3.75	A	3.75	A-	3.50	A	3.75	B+	3.25	B+	3.25	C	2.25	B	3.00	A	3.75	A	3.75	3.263
13	2107010	B-	2.75	B+	3.25	B	3.00	B-	2.75	C	2.25	B+	3.25	B-	2.75	B+	3.25	D	2.00	C+	2.50	A-	3.50	A-	3.50	2.813
14	2107011	A-	3.50	B	3.00	A	3.75	A	3.75	B	3.00	B+	3.25	B	3.00	B+	3.25	C+	2.50	A-	3.50	A	3.75	A+	4.00	3.275
15	2107013	B-	2.75	C+	2.50	B+	3.25	B+	3.25	D	2.00	C	2.25	F	0.00	F	0.00	F	0.00	B-	2.75	B	3.00	A-	3.50	2.683
16	2107014	B+	3.25	A	3.75	A	3.75	A+	4.00	A-	3.50	A+	4.00	A-	3.50	A-	3.50	B-	2.75	A+	4.00	A	3.75	A	3.75	3.538
17	2107015	A-	3.50	B+	3.25	A-	3.50	A	3.75	A	3.75	B+	3.25	B+	3.25	A-	3.50	C+	2.50	D	2.00	A	3.75	A-	3.50	3.338
18	2107016	B+	3.25	B-	2.75	A+	4.00	A-	3.50	A-	3.50	B+	3.25	B+	3.25	A-	3.50	B+	3.25	B+	3.25	A	3.75	A+	4.00	3.388
19	2107019	A	3.75	A-	3.50	A+	4.00	A+	4.00	A-	3.50	A	3.75	A	3.75	A-	3.50	C+	2.50	A-	3.50	A+	4.00	A+	4.00	3.600
20	2107020	B+	3.25	B	3.00	A	3.75	A-	3.50	A-	3.50	A-	3.50	B	3.00	A	3.75	B-	2.75	C+	2.50	A	3.75	A	3.75	3.300
21	2107021	A-	3.50	B+	3.25	A	3.75	A+	4.00	A	3.75	A-	3.50	B+	3.25	A	3.75	B+	3.25	A+	4.00	A+	4.00	A+	4.00	3.613
22	2107030	A	3.75	A+	4.00	A+	4.00	A	3.75	B+	3.25	B+	3.25	B	3.00	A	3.75	B-	2.75	B+	3.25	A	3.75	A+	4.00	3.500
23	2107031	A-	3.50	B+	3.25	A-	3.50	A-	3.50	B+	3.25	B	3.00	B	3.00	A-	3.50	A+	4.00	B+	3.25	A	3.75	A-	3.50	3.425
24	2107032	A-	3.50	B+	3.25	A-	3.50	A	3.75	B	3.00	B+	3.25	B-	2.75	B+	3.25	B-	2.75	D	2.00	A	3.75	A	3.75	3.200
25	2107033	A+	4.00	A	3.75	A+	4.00	A+	4.00	A+	4.00	A+	4.00	A	3.75	A	3.75	A	3.75	B+	3.25	A+	4.00	A+	4.00	3.875



Hajee Mohammad Danesh Science & Technology University, Dinajpur

Examination results of BSc in Food and Process Engineering , session 2021

L3/SII

Course Info:

- FSN 301:** Food Analysis and Nutrient Technology (Theoretical,C.H.3.00)
- FSN 304:** Management and Utilization of Wastes (Sessional,C.H.1.00)
- FET 307:** Food and Process Engineering-I (Theoretical,C.H.2.00)
- AIE 304:** Mechanical Design of Process Equipment (Sessional,C.H.1.00)

- FSN 303:** Management and Utilization of Wastes (Theoretical,C.H.2.00)
- FET 305:** Food and Packaging Machinery (Theoretical,C.H.3.00)
- FET 308:** Food and Process Engineering-II (Sessional,C.H.1.00)
- AEX 303:** Extension Communication and Management (Theoretical,C.H.2.00)

- FSN 302:** Food Analysis and Nutrient Technology (Sessional,C.H.1.00)
- FET 306:** Food and Packaging Machinery (Sessional,C.H.1.00)
- AIE 303:** Mechanical Design of Process Equipment (Theoretical,C.H.2.00)
- AEX 304:** Extension Communication and Management (Sessional,C.H.1.00)

Grading System		
Letter Grade (LG)	Grade Point (GP)	Numerical Equivalent
A+	4.00	80 and above
A	3.75	75 to below 80
A-	3.50	70 to below 75
B+	3.25	65 to below 70
B	3.00	60 to below 65
B-	2.75	55 to below 60
C+	2.50	50 to below 55
C	2.25	45 to below 50
D	2.00	40 to below 45
F	0.00	Less Than 40

SL.	ID	FSN 301		FSN 303		FSN 302		FSN 304		FET 305		FET 306		FET 307		FET 308		AIE 303		AIE 304		AEX 303		AEX 304		GPA
		LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	
26	2107034	B+	3.25	B+	3.25	A-	3.50	A	3.75	B+	3.25	B	3.00	C	2.25	B+	3.25	C	2.25	B+	3.25	A-	3.50	A+	4.00	3.138
27	2107035	C+	2.50	C+	2.50	B+	3.25	B+	3.25	C+	2.50	B-	2.75	D	2.00	B	3.00	C+	2.50	B	3.00	B+	3.25	A	3.75	2.725
28	2107036	A	3.75	A	3.75	A	3.75	A+	4.00	A	3.75	A+	4.00	B+	3.25	A+	4.00	A-	3.50	A+	4.00	A	3.75	A+	4.00	3.738
29	2107037	A	3.75	A-	3.50	A+	4.00	A	3.75	B	3.00	A	3.75	B+	3.25	A-	3.50	B	3.00	B-	2.75	A	3.75	A	3.75	3.438
30	2107038	A-	3.50	B+	3.25	A+	4.00	A+	4.00	A+	4.00	A+	4.00	A	3.75	A-	3.50	A	3.75	B+	3.25	A+	4.00	A+	4.00	3.738
31	2107040	B-	2.75	B-	2.75	B+	3.25	A-	3.50	B-	2.75	B	3.00	B	3.00	B	3.00	C	2.25	B-	2.75	A-	3.50	A	3.75	2.938
32	2107042	B+	3.25	B-	2.75	A-	3.50	A	3.75	A	3.75	A	3.75	A-	3.50	A+	4.00	A	3.75	A-	3.50	A	3.75	A+	4.00	3.550
33	2107045	B+	3.25	B	3.00	A-	3.50	A-	3.50	B	3.00	A-	3.50	B-	2.75	B+	3.25	B-	2.75	B-	2.75	A	3.75	A	3.75	3.175
34	2107046	A-	3.50	B+	3.25	A	3.75	A+	4.00	B+	3.25	A-	3.50	A-	3.50	A-	3.50	C	2.25	C	2.25	A+	4.00	A+	4.00	3.363
35	2107051	B+	3.25	A-	3.50	A	3.75	A+	4.00	A	3.75	A-	3.50	B+	3.25	A-	3.50	C+	2.50	B+	3.25	A	3.75	A	3.75	3.438
36	2107052	B	3.00	B	3.00	A	3.75	A	3.75	B	3.00	B+	3.25	B+	3.25	B	3.00	B	3.00	A-	3.50	A	3.75	A	3.75	3.250
37	2107056	A-	3.50	B+	3.25	A	3.75	A+	4.00	A+	4.00	A+	4.00	B+	3.25	A-	3.50	C+	2.50	B	3.00	A+	4.00	A+	4.00	3.538
38	2107057	A+	4.00	A	3.75	A	3.75	A+	4.00	A+	4.00	A+	4.00	A	3.75	A	3.75	B-	2.75	B+	3.25	A+	4.00	A	3.75	3.750
39	2107058	A	3.75	B+	3.25	A	3.75	A-	3.50	C+	2.50	B	3.00	C+	2.50	B-	2.75	D	2.00	C	2.25	A	3.75	B+	3.25	3.013
40	2107059	F	0.00	F	0.00	C+	2.50	B-	2.75	F	0.00	F	0.00	F	0.00	C	2.25	F	0.00	D	2.00	C	2.25	B+	3.25	2.464
41	2107060	A-	3.50	A-	3.50	B	3.00	A-	3.50	B+	3.25	B+	3.25	D	2.00	B	3.00	D	2.00	D	2.00	A-	3.50	A-	3.50	3.025

03.02.2026
Controller of Examinations