



Hajee Mohammad Danesh Science and Technology University

Dinajpur, Bangladesh

Name of the Examination: M.S. in Soil Science, Semester : July-December, 2022

Grading System					
Letter Grade (LG)	Grade Point (GP)	Numerical Equivalent (%)	Letter Grade (LG)	Grade Point (GP)	Numerical Equivalent (%)
A ⁺	4.00	80 and above	B ⁻	2.75	55 to below 60
A	3.75	75 to below 80	C ⁺	2.50	50 to below 55
A ⁻	3.50	70 to below 75	C	2.25	45 to below 50
B ⁺	3.25	65 to below 70	D	2.00	40 to below 45
B	3.00	60 to below 65	F	0.00	Less than 40

Result Sheet

Sl. No.	Student No.	SSC 501: Soil Physics Cre. Hrs.3		SSC 502: Soil Chemistry and Mineralogy Cre. Hrs.3		SSC 503: Soil Microbiology Hrs.3		SSC 504: Soil Degradation and Conservation Cre. Hrs.3		STT 505: Design of Agricultural Experiments Cre. Hrs.2		GPA
		LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	
Sl. No.	Student No.	SSC 501: Soil Physics		SSC 502: Soil Chemistry		SSC 503: Soil		SSC 504: Soil Degradation and		STT 505: Design of Agricultural		GPA
		LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	
1	1501312	B+	3.25	A+	4.00	A	3.75	B+	3.25	A	3.75	3.589
2	1501363	A	3.75	A+	4.00	A	3.75	A	3.75	A	3.75	3.804
3	1601114	A-	3.50	A+	4.00	B+	3.25	A	3.75	A	3.75	3.643
4	1601200	A	3.75	A+	4.00	A-	3.50	A	3.75	A	3.75	3.750
5	1601305	A	3.75	A+	4.00	A+	4.00	A+	4.00	A+	4.00	3.946
6	1601309	B-	2.75	A-	3.50	A	3.75	A-	3.50	A-	3.50	3.393
7	1601312	B	3.00	A-	3.50	B+	3.25	B+	3.25	B+	3.25	3.250
8	1601314	A	3.75	A+	4.00	A+	4.00	A+	4.00	A+	4.00	3.946
9	1801318	A-	3.50	A-	3.50	A	3.75	A+	4.00	A-	3.50	3.661
10	1601323	A-	3.50	A+	4.00	A	3.75	A+	4.00	A+	4.00	3.839

Controller of the Examination


13.6.23


13.6.2023

Sl. No.	Student No.	SSC 501: Soil Physics Cre. Hrs.3		SSC 502: Soil Chemistry and Mineralogy Cre. Hrs.3		SSC 503: Soil Microbiology Hrs.3		SSC 504: Soil Degradation and Conservation Cre. Hrs.3		STT 505: Design of Agricultural Experiments Cre. Hrs.2		GPA
		LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	
11	1601327	A	3.75	A+	4.00	A+	4.00	A+	4.00	A+	4.00	3.946
12	1601335	A	3.75	A+	4.00	A	3.75	A+	4.00	A	3.75	3.857
13	1601358	B	3.00	A	3.75	A	3.75	A	3.75	A+	4.00	3.625
14	1601363	A	3.75	A+	4.00	A	3.75	A+	4.00	A+	4.00	3.893
15	1601378	B	3.00	B+	3.25	A-	3.50	A+	4.00	A+	4.00	3.518
16	1601385	B+	3.25	A-	3.50	A	3.75	A+	4.00	A-	3.50	3.607
17	1601393	A	3.75	A	3.75	A	3.75	A+	4.00	A	3.75	3.804
18	1601400	A	3.75	A+	4.00	A	3.75	A+	4.00	A+	4.00	3.893
19	1601401	A	3.75	A+	4.00	A	3.75	A+	4.00	A+	4.00	3.893
20	1601403	A-	3.50	A	3.75	A-	3.50	A	3.75	A	3.75	3.643
21	1601407	B	3.00	A-	3.50	B+	3.25	B	3.00	B+	3.25	3.196
22	1601410	A-	3.50	A+	4.00	A	3.75	A+	4.00	A+	4.00	3.839
23	1601420	B+	3.25	A	3.75	A-	3.50	A-	3.50	A-	3.50	3.500
24	1701015	B-	2.75	A-	3.50	A-	3.50	B+	3.25	B	3.00	3.214
25	1701022	B+	3.25	A-	3.50	A-	3.50	A	3.75	A	3.75	3.536
26	1701049	A-	3.50	A+	4.00	A	3.75	A	3.75	A+	4.00	3.786
27	1701050	A-	3.50	A+	4.00	A	3.75	A+	4.00	A	3.75	3.804
28	1701057	A-	3.50	A+	4.00	A	3.75	A	3.75	A+	4.00	3.786
29	1701062	A-	3.50	A+	4.00	A	3.75	A-	3.50	A+	4.00	3.732
30	1701074	A	3.75	A+	4.00	A+	4.00	A+	4.00	A+	4.00	3.946
31	1701075	A-	3.50	A+	4.00	A-	3.50	A-	3.50	A	3.75	3.643
32	1701098	A-	3.50	A+	4.00	A	3.75	A+	4.00	A	3.75	3.804
33	1701103	A-	3.50	A+	4.00	A	3.75	A+	4.00	A	3.75	3.804


13.6.23

Controller of the Examinations


13.6.2023

Sl. No.	Student No.	SSC 501: Soil Physics		SSC 502: Soil Chemistry		SSC 503: Soil		SSC 504: Soil Degradation and		STT 505: Design of Agricultural		GPA
		LG	GP	LG	GP	LG	GP	LG	GP	LG	GP	
34	1701108	A-	3.50	A+	4.00	A	3.75	A+	4.00	A	3.75	3.804
35	1701115	A	3.75	A+	4.00	A	3.75	A+	4.00	A+	4.00	3.893
36	1701117	A-	3.50	A+	4.00	A	3.75	A+	4.00	A+	4.00	3.839
37	1701119	A	3.75	A+	4.00	A	3.75	A+	4.00	A	3.75	3.857
38	1701122	A-	3.50	A+	4.00	A	3.75	A+	4.00	A	3.75	3.804
39	1701123	A	3.75	A+	4.00	A	3.75	A+	4.00	A	3.75	3.857
40	1701131	A-	3.50	A	3.75	A-	3.50	A-	3.50	A-	3.50	3.554
41	1701133	A	3.75	A+	4.00	A+	4.00	A+	4.00	A+	4.00	3.946
42	1701137	B+	3.25	A	3.75	A-	3.50	A-	3.50	A	3.75	3.536
43	1701139	A-	3.50	A	3.75	A-	3.50	A+	4.00	A-	3.50	3.661
44	1701148	A+	4.00	A+	4.00	A+	4.00	A+	4.00	A+	4.00	4.000
45	1701154	B+	3.25	A+	4.00	A	3.75	A+	4.00	A	3.75	3.750
46	1701200	B+	3.25	A	3.75	A-	3.50	A	3.75	A-	3.50	3.554
47	1701202	B+	3.25	A+	4.00	B	3.00	A	3.75	B+	3.25	3.464
48	1701207	A	3.75	A+	4.00	A	3.75	A	3.75	A-	3.50	3.768
49	1701220	A-	3.50	A+	4.00	A	3.75	A+	4.00	A-	3.50	3.768
50	1701228	B+	3.25	A+	4.00	A-	3.50	A+	4.00	A	3.75	3.696
51	1701265	A	3.75	A+	4.00	A	3.75	A+	4.00	A+	4.00	3.893
52	2205082	B+	3.25	B	3.00	B	3.00	A-	3.50	A	3.75	3.268
53	2205083	B	3.00	A-	3.50	C+	2.50	B+	3.25	A-	3.50	3.125
54	2205084	B+	3.25	A	3.75	B+	3.25	A	3.75	A-	3.50	3.500
55	2205085	B	3.00	A+	4.00	B	3.00	A-	3.50	A+	4.00	3.464
56	2205086	B	3.00	A	3.75	B	3.00	A	3.75	A	3.75	3.429
57	2205031	D	2.00	A-	3.50	C+	2.50	C+	2.50	B+	3.25	2.714

Controller of the Examination


13.6.23


13.6.2023